


- NOTE:
1. THE UNIT OF RESISTANCE " OHM " IS OMITTED (K-1000 OHMS AND M-1MEG OHMS)
 2. ALL RESISTORS ARE " 1/8 W " AND " 5% " UNLESS OTHERWISE NOTED.
 3. ALL CAPACITORS RATING ARE " 50V " UNLESS OTHERWISE NOTED.
 4. ALL VRIBLE RESISTOR ARE " 0.1W " AND " 6 MIN " UNLESS OTHERWISE NOTED.
 5. ALL ELECTROLYTIC CAPACITORS RATING ARE " 85 DEGREE C " UNLESS OTHERWISE NOTED.
 6. (C): DEGREE C

CONFIDENTIAL	
THIS DRAWING (SPECIFICATION) IS THE PROPERTY OF TVM CORPORATION ALL RIGHTS RESERVED.	
APPROVALS	DATE
DRAWN L. S. HO	11-27-'98
CHECKED	
ISSUED	
MANAGER	

PCAD FILE : TD1MBA.SCH			
		TAIWAN VIDEO & MONITOR CORP.	
		TD1	
MAIN BD & CRT BD SCHEMATIC			
SIZE A1	MODEL 5Sv	DWG. NO. 540010230100	REV. A
SCALE	E/PCO NO. E-000	SHEET 1	OF 1

441000210000	441100210000	DATE
MAIN PCB REV.	CRT PCB REV.	11-27-'98
D	D	

VAR_B+
FB
21V
12.1V
12V
66V
90V
SLEEP
6.3V
5V

